

POM CGL 95x3000 mm blå

Artikelnr P1008072

● Beständig ● Delvis beständig ● Ej beständig

| Kemikalie               | Konsentrasjon | Temp. | Beständighet |
|-------------------------|---------------|-------|--------------|
| 1,4-Dioxan              | 100%          | 20 °C | ●            |
| 2-Hydroxypropionic Acid | 90%           | 20 °C | ●            |
| Acetic Acid             | 100%          | 20 °C | ●            |
| Aceton                  | 100%          | 20 °C | ●            |
| Ammoniak                | conc.         | 20 °C | ●            |
| Ammonium Chloride       | -             | 20 °C | ●            |
| Amyl Alcohol            | -             | 20 °C | ●            |
| Apple Juice             | -             | 20 °C | ●            |
| Bensen                  | -             | 20 °C | ●            |
| Bleaching Solution      | 12.5 cl       | 20 °C | ●            |
| Boric Acid              | 100%          | 20 °C | ●            |
| Brake Fluid             | -             | 20 °C | ●            |
| Bränsle, aromatfritt    | -             | 20 °C | ●            |
| Butyl Acetate           | -             | 20 °C | ●            |
| Calcium Chloride        | -             | 20 °C | ●            |
| Carbon Disulfide        | 100%          | 20 °C | ●            |
| Carbon Tetrachloride    | -             | 20 °C | ●            |
| Citric Acid             | 10%           | 20 °C | ●            |
| Cyklohexanon            | 100%          | 20 °C | ●            |
| Cyklohexen              | 100%          | 20 °C | ●            |
| Diesel Fuel             | -             | 20 °C | ●            |
| Diethylene Oxide        | -             | 20 °C | ●            |
| Eddik, standard         | 5-10%         | 20 °C | ●            |
| Ethyl Acetate           | 100%          | 20 °C | ●            |
| Ethyl Alcohol           | 96%           | 20 °C | ●            |
| Ethylene Chloride       | 100%          | 20 °C | ●            |

| Kemikalie                          | Konsentrasjon | Temp. | Beständighet |
|------------------------------------|---------------|-------|--------------|
| Fenol, vattenl.                    | ca. 9%        | 20 °C | <div></div>  |
| Food Oil                           | -             | 20 °C | <div></div>  |
| Formaldehyd, vattenl.              | 40%           | 20 °C | <div></div>  |
| Formic Acid                        | 10%           | 20 °C | <div></div>  |
| Frost Protection Agent             | -             | 20 °C | <div></div>  |
| Glycerin                           | 100%          | 20 °C | <div></div>  |
| Glykol                             | 100%          | 20 °C | <div></div>  |
| Heating Oil                        | -             | 20 °C | <div></div>  |
| Heptan                             | 100%          | 20 °C | <div></div>  |
| Hydrochloric Acid                  | 10%           | 20 °C | <div></div>  |
| Hydrochloric Acid (concentrated)   | conc.         | 20 °C | <div></div>  |
| Hydrofluoric Acid                  | 40%           | 20 °C | <div></div>  |
| Hydrogen Peroxide                  | 10%           | 20 °C | <div></div>  |
| Hydrogen Sulfide, aqueous solution | -             | 20 °C | <div></div>  |
| Isopropyl Alcohol                  | 100%          | 20 °C | <div></div>  |
| Klor (gas)                         | 100%          | 20 °C | <div></div>  |
| Klorbensen                         | 100%          | 20 °C | <div></div>  |
| Kloroform                          | -             | 20 °C | <div></div>  |
| Kresol                             | -             | 20 °C | <div></div>  |
| Linseed Oil                        | -             | 20 °C | <div></div>  |
| Melk                               | -             | 20 °C | <div></div>  |
| Merkurokrom                        | -             | 20 °C | <div></div>  |
| Methyl Alcohol                     | 100%          | 20 °C | <div></div>  |
| Methyl Ethyl Ketone (MEK)          | 100%          | 20 °C | <div></div>  |
| Methylene Chloride                 | 100%          | 20 °C | <div></div>  |
| Mineral Oils (aromatic free)       | -             | 20 °C | <div></div>  |
| Nitric Acid                        | 10%           | 20 °C | <div></div>  |
| Nitric Acid (50%)                  | 50%           | 20 °C | <div></div>  |
| Nitrobensen                        | -             | 20 °C | <div></div>  |
| Oxalic Acid                        | -             | 20 °C | <div></div>  |
| Ozone Gas                          | ≤0.5 ppm      | 20 °C | <div></div>  |
| Paraffine Oil                      | 100%          | 20 °C | <div></div>  |
| Perkloretylen                      | -             | 20 °C | <div></div>  |
| Petroleum                          | 100%          | 20 °C | <div></div>  |

| Kemikalie                     | Konsentrasjon | Temp. | Beständighet |
|-------------------------------|---------------|-------|--------------|
| Petroleum Ether               | 100%          | 20 °C | <div></div>  |
| Phosphoric Acid               | 50%           | 20 °C | <div></div>  |
| Potassium Hydroxide liquor    | 50%           | 20 °C | <div></div>  |
| Premium Fuel                  | -             | 20 °C | <div></div>  |
| Propyl Alcohol                | -             | 20 °C | <div></div>  |
| Pyridin                       | -             | 20 °C | <div></div>  |
| Silicone Oil                  | -             | 20 °C | <div></div>  |
| Sodium Carbonate, aqueous     | -             | 20 °C | <div></div>  |
| Sodium Chloride, aqueous      | -             | 20 °C | <div></div>  |
| Sodium Hydrogen Sulfite       | -             | 20 °C | <div></div>  |
| Sodium Hydroxide liquor (15%) | 15%           | 20 °C | <div></div>  |
| Sodium Hydroxide liquor (60%) | 60%           | 20 °C | <div></div>  |
| Sodium Nitrate, aqueous       | -             | 20 °C | <div></div>  |
| Sodium Thiosulfate            | -             | 20 °C | <div></div>  |
| Sulfuric Acid                 | 96%           | 20 °C | <div></div>  |
| Tetrahydrofuran, THF          | 100%          | 20 °C | <div></div>  |
| Toluen                        | 100%          | 20 °C | <div></div>  |
| Transformer Oil               | -             | 20 °C | <div></div>  |
| Trikloreten                   | 100%          | 20 °C | <div></div>  |
| Vann                          | -             | 20 °C | <div></div>  |
| Xylen                         | -             | 20 °C | <div></div>  |