



# Platta i PE-500 2000x1000x80 mm gr 

Artikelnr P1400410

Best ndig

Delvis best ndig

Ej best ndig

| Kemikalie                        |              | Koncentration | Temp. | Best ndighet |
|----------------------------------|--------------|---------------|-------|--------------|
| 1,4-Dioxan                       | 100%         | 20  C         |       |              |
| 2-Hydroxypropionic Acid          | 90%          | 20  C         |       |              |
| Acetaldehyd                      |              | 20  C         |       |              |
| Acetic Acid                      | 100%         | 20  C         |       |              |
| Aceton                           |              | 20  C         |       |              |
| Aceton                           | 100%         | 20  C         |       |              |
| Acronal-dispersjoner             |              | 20  C         |       |              |
| Akrylonitril                     |              | 20  C         |       |              |
| Allylacetat                      |              | 20  C         |       |              |
| Allylalkohol                     | 96%          | 20  C         |       |              |
| Allylklorid                      |              | 20  C         |       |              |
| Aluminiumfluorid                 | Conc.        | 20  C         |       |              |
| Aluminiumhydroxid                |              | 20  C         |       |              |
| Aluminiumklorid, fast            |              | 20  C         |       |              |
| Aluminiumklorid, vattenl.        | any          | 20  C         |       |              |
| Aluminiummetafosfat              |              | 20  C         |       |              |
| Aluminiumsulfat, fast            |              | 20  C         |       |              |
| Aluminiumsulfat, vattenl. m ttad |              | 20  C         |       |              |
| Ammoniak                         | concentrated | 20  C         |       |              |
| Ammoniak, flytande               |              | 20  C         |       |              |
| Ammoniak, gas                    |              | 20  C         |       |              |
| Ammonium Chloride                |              | 20  C         |       |              |
| Amyl Alcohol                     |              | 20  C         |       |              |
| Anilin                           | any          | 20  C         |       |              |
| Anisol                           |              | 20  C         |       |              |
| Apple Juice                      |              | 20  C         |       |              |
| Bensen                           |              | 20  C         |       |              |

| Kemikalie              | Koncentration     | Temp. | Best ndighet |
|------------------------|-------------------|-------|--------------|
| Bensen                 | technically grade | 20  C |              |
| Bensoesyra, vattenl.   | any               | 20  C |              |
| Bensylalkohol          |                   | 20  C |              |
| Benzaldehyd, vattenl.  | any               | 20  C |              |
| Bitumen                |                   | 20  C |              |
| Bleaching Solution     | 12.5 cl           | 20  C |              |
| Bl ck                  |                   | 20  C |              |
| Boric Acid             | 100%              | 20  C |              |
| Brake Fluid            |                   | 20  C |              |
| Brom, flytande         | 100%              | 20  C |              |
| Bromv tesyra, vattenl. | 50%               | 20  C |              |
| Br nsle (aromatfritt)  |                   | 20  C |              |
| Butanol, vattenl.      | any               | 20  C |              |
| Butyl Acetate          |                   | 20  C |              |
| Calcium Chloride       |                   | 20  C |              |
| Calcium carbonate      |                   | 20  C |              |
| Calcium carbonate      |                   | 20  C |              |
| Carbon Disulfide       | 100%              | 20  C |              |
| Carbon Tetrachloride   |                   | 20  C |              |
| Caustic soda           | any               | 20  C |              |
| Cider                  |                   | 20  C |              |
| Citric Acid            | 10%               | 20  C |              |
| Citrusfruktjuicer      |                   | 20  C |              |
| Cyklohexan             |                   | 20  C |              |
| Cyklohexanol           |                   | 20  C |              |
| Cyklohexanon           | 100%              | 20  C |              |
| Cyklohexanon           |                   | 20  C |              |
| Cyklohexen             | 100%              | 20  C |              |
| Dibutyleter            |                   | 20  C |              |
| Dibutylftalat          |                   | 20  C |              |
| Diesel Fuel            |                   | 20  C |              |
| Diesel fuel            |                   | 20  C |              |
| Diethylene Oxide       |                   | 20  C |              |
| Diglykolsyra, vattenl. | 30%               | 20  C |              |

| Kemikalie                                | Koncentration | Temp.  | Best ndighet |
|------------------------------------------|---------------|--------|--------------|
| Diklorethan                              | "             | 20 °C  |              |
| Dikloroettersyra                         | "             | 20 °C  |              |
| Dimethyl formamide                       | "             | 20 °C  |              |
| Dimetylamin                              | "             | 20 °C  |              |
| Dioxan                                   | "             | 20 °C  |              |
| Diskmedel                                | "             | 20 °C  |              |
| Eldningsolja                             | "             | 20 °C  |              |
| Ethanol                                  | 10%           | 100 °C |              |
| Ethanol                                  | 10%           | 100 °C |              |
| Ethanol                                  | 10% v/v       | 20 °C  |              |
| Ethanol                                  | 10%           | 100 °C |              |
| Etyl Acetat                              | 100%          | 20 °C  |              |
| Etyl Alcohol                             | 96%           | 20 °C  |              |
| Ethylen Chloride                         | 100%          | 20 °C  |              |
| Etylacetat                               | "             | 20 °C  |              |
| Etylenalkohol                            | 96%           | 20 °C  |              |
| Etylendiamin                             | "             | 20 °C  |              |
| Etylglykol                               | "             | 20 °C  |              |
| Etylenklorid                             | "             | 20 °C  |              |
| Fenol                                    | "             | 20 °C  |              |
| Fenol (vattenl.)                         | % ^ %         | 20 °C  |              |
| Ferrous (III) nitrate, aqueous saturated | "             | 20 °C  |              |
| Ferrous (III) sulfate, aqueous saturated | "             | 20 °C  |              |
| Food Oil                                 | "             | 20 °C  |              |
| Formaldehyd (vattenl.)                   | 40%           | 20 °C  |              |
| Formaldehyd, vattenl.                    | % □ 40%       | 20 °C  |              |
| Formic Acid                              | 10%           | 20 °C  |              |
| Fosforsyra, vattenl.                     | 80% L 95%     | 20 °C  |              |
| Fosforsyra, vattenl.                     | 50%           | 20 °C  |              |
| Fosfortriklorid                          | "             | 20 °C  |              |
| Fotogen                                  | "             | 20 °C  |              |
| Frigen 12 (Freon 12)                     | 100%          | 20 °C  |              |
| Frost Protection Agent                   | "             | 20 °C  |              |
| Fruktjuicer                              | any           | 20 °C  |              |

| Kemikalie                              | Koncentration | Temp. | Best ndighet |
|----------------------------------------|---------------|-------|--------------|
| Ftalsyra, vattenl.                     | 50%           | 20  C | ●            |
| Furfurol                               |               | 20  C | ●            |
| Garvsyra (tannin), vattenl.            | 10%           | 20  C | ●            |
| Glycerin                               | 100%          | 20  C | ●            |
| Glycerin, aqueous                      | any           | 20  C | ●            |
| Glykol                                 | 100%          | 20  C | ●            |
| Glykol, aqueous                        | as supplied   | 20  C | ●            |
| Glysantin                              |               | 20  C | ●            |
| Havsvatten                             |               | 20  C | ●            |
| Heating Oil                            |               | 20  C | ●            |
| Heptan                                 |               | 20  C | ●            |
| Heptan                                 | 100%          | 20  C | ●            |
| Hexan                                  |               | 20  C | ●            |
| Honung                                 |               | 20  C | ●            |
| Hydrochloric Acid                      | 10%           | 20  C | ●            |
| Hydrochloric Acid (concentrated)       | concentrated  | 20  C | ●            |
| Hydrofluoric Acid                      | 40%           | 20  C | ●            |
| Hydrogen Peroxide                      | 10%           | 20  C | ●            |
| Hydrogen Sulfide (aqueous solution)    |               | 20  C | ●            |
| Isooktan                               |               | 20  C | ●            |
| Isopropanol                            |               | 20  C | ●            |
| Isopropyl Alcohol                      | 100%          | 20  C | ●            |
| Isopropyleter                          |               | 20  C | ●            |
| Jod i kaliumjodidl sning               | 3% iodine     | 20  C | ●            |
| J  rn(II)klorid, vattenl. m ttad       |               | 20  C | ●            |
| J  rn(II)sulfat, vattenl. m ttad       |               | 20  C | ●            |
| J  rn(III)klorid, vattenl.             | any           | 20  C | ●            |
| J  rn(III)klorid, vattenl. m ttad      |               | 20  C | ●            |
| J  rn(III)nitrat, vattenl. m ttad      |               | 20  C | ●            |
| J  rn(III)sulfat, vattenl. m ttad      |               | 20  C | ●            |
| Kalciumhypoklorit, vattenl. suspension | any           | 20  C | ●            |
| Kamfer                                 |               | 20  C | ●            |
| Klor (gas)                             | 100%          | 20  C | ●            |
| Klor, flytande                         |               | 20  C | ●            |
| Klorbensen                             |               | 20  C | ●            |

| Kemikalie                                    | Koncentration              | Temp. | Best ndighet |
|----------------------------------------------|----------------------------|-------|--------------|
| Klorbensen                                   | 100%                       | 20  C |              |
| Kloroform                                    |                            | 20  C |              |
| Kloroform                                    | technically grade          | 20  C |              |
| Klor ttiksyra, vattenl.                      |   85%                      | 20  C |              |
| Kokosolja                                    |                            | 20  C |              |
| Koldisulfid                                  |                            | 20  C |              |
| Kresol                                       | 100%                       | 20  C |              |
| Kresol                                       |                            | 20  C |              |
| Kromsyra-svavelsyra                          |                            | 20  C |              |
| Kungsvatten                                  |                            | 20  C |              |
| Kvikksilver                                  |                            | 20  C |              |
| Linolja                                      | technically grade          | 20  C |              |
| Linseed Oil                                  |                            | 20  C |              |
| Litiumbromid                                 |                            | 20  C |              |
| Magnesium stearate                           |                            | 20  C |              |
| Magnesium stearate                           |                            | 20  C |              |
| Maleinsyra, vattenl.                         | any                        | 20  C |              |
| Melass                                       |                            | 20  C |              |
| Mentol                                       |                            | 20  C |              |
| Merkurokrom                                  |                            | 20  C |              |
| Metanol                                      | technically grade          | 20  C |              |
| Methyl Alcohol                               | 100%                       | 20  C |              |
| Methyl Ethyl Ketone (MEK)                    | 100%                       | 20  C |              |
| Methyl ethyl ketone                          | technically grade          | 20  C |              |
| Methylene Chloride                           | 100%                       | 20  C |              |
| Metylklorid                                  | gaseous, technically grade | 20  C |              |
| Mineral Oil (aromatic free)                  |                            | 20  C |              |
| Mj lk                                        |                            | 20  C |              |
| Mj lk                                        |                            | 20  C |              |
| Motor oil (heavy duty oil) without additives |                            | 20  C |              |
| Myrsyra, vattenl.                            | 85%                        | 20  C |              |
| Nafta                                        |                            | 20  C |              |
| Naftalen                                     |                            | 20  C |              |
| Natriumbromid                                |                            | 20  C |              |

| Kemikalie                           | Koncentration | Temp.   | BestÃndighet |
|-------------------------------------|---------------|---------|--------------|
| Natriumhydroxid, fast               | â€”           | 20 Â°C  | â—•          |
| Natriumhydroxid, vattenl.           | any           | 20 Â°C  | â—•          |
| Nitric Acid                         | 10%           | 20 Â°C  | â—•          |
| Nitric Acid (50%)                   | 50%           | 20 Â°C  | â—•          |
| Nitrobensen                         | â€”           | 20 Â°C  | â—•          |
| Nitrobensen                         | â€”           | 20 Â°C  | â—•          |
| Oils, ethereal                      | â€”           | 20 Â°C  | â—•          |
| Oleum                               | any           | 20 Â°C  | â—•          |
| Olive oil                           | â€”           | 100 Â°C | â—•          |
| Olive oil                           | â€”           | 100 Â°C | â—•          |
| Olive oil                           | â€”           | 20 Â°C  | â—•          |
| Olive oil                           | â€”           | 100 Â°C | â—•          |
| Oljesyra                            | â€”           | 20 Â°C  | â—•          |
| Oljor, vegetabiliska och animaliska | â€”           | 20 Â°C  | â—•          |
| Oxalic Acid                         | â€”           | 20 Â°C  | â—•          |
| Oxalsyra, vattenl.                  | any           | 20 Â°C  | â—•          |
| Ozon                                | 50 ppm        | 20 Â°C  | â—•          |
| Ozone Gas                           | â‰‰0.5 ppm    | 20 Â°C  | â—•          |
| Paraffine Oil                       | 100%          | 20 Â°C  | â—•          |
| Perkloretylen                       | â€”           | 20 Â°C  | â—•          |
| Perklorisyra, vattenl.              | 20%           | 20 Â°C  | â—•          |
| Perklorisyra, vattenl.              | 50%           | 20 Â°C  | â—•          |
| Perklorisyra, vattenl.              | 70%           | 20 Â°C  | â—•          |
| Petroleum                           | â€”           | 20 Â°C  | â—•          |
| Petroleum                           | 100%          | 20 Â°C  | â—•          |
| Petroleum Ether                     | 100%          | 20 Â°C  | â—•          |
| Petroleumeter                       | â€”           | 20 Â°C  | â—•          |
| Phosphoric Acid                     | 50%           | 20 Â°C  | â—•          |
| Photographic developers             | â€”           | 20 Â°C  | â—•          |
| Photographic emulsions              | as supplied   | 20 Â°C  | â—•          |
| Photographic fixing baths           | as supplied   | 20 Â°C  | â—•          |
| Polyesterhartser                    | â€”           | 20 Â°C  | â—•          |
| Potassium Hydroxide liquor          | 50%           | 20 Â°C  | â—•          |
| Premium Fuel                        | â€”           | 20 Â°C  | â—•          |

| Kemikalie                     | Koncentration     | Temp. | Best ndighet |
|-------------------------------|-------------------|-------|--------------|
| Propionsyra, vattenl.         | any               | 20  C | ●            |
| Propyl Alcohol                |                   | 20  C | ●            |
| Pyridin                       |                   | 20  C | ●            |
| Pyridin                       |                   | 20  C | ●            |
| Salpetersyra, vattenl.        | 25%               | 20  C | ●            |
| Salpetersyra, vattenl.        | 50%               | 20  C | ●            |
| Saltsyra, vattenl.            | any               | 20  C | ●            |
| Silicon dioxide               |                   | 20  C | ●            |
| Silicon dioxide               |                   | 20  C | ●            |
| Silicone Oil                  |                   | 20  C | ●            |
| Silikonolja                   | technically grade | 20  C | ●            |
| Sm r                          |                   | 20  C | ●            |
| Sockersirap                   |                   | 20  C | ●            |
| Sodium Carbonate (aqueous)    |                   | 20  C | ●            |
| Sodium Chloride (aqueous)     |                   | 20  C | ●            |
| Sodium Hydrogen Sulfite       |                   | 20  C | ●            |
| Sodium Hydroxide liquor       | 15%               | 20  C | ●            |
| Sodium Hydroxide liquor (60%) | 60%               | 20  C | ●            |
| Sodium Nitrate (aqueous)      |                   | 20  C | ●            |
| Sodium Thiosulfate            |                   | 20  C | ●            |
| Sodium borate                 |                   | 20  C | ●            |
| Stearinsyra                   |                   | 20  C | ●            |
| Sulfuric Acid                 | 96%               | 20  C | ●            |
| Svavelsyra, vattenl.          |   50%             | 20  C | ●            |
| Svavelsyra, vattenl.          | 70%               | 20  C | ●            |
| Svavelsyra, vattenl.          | 80%               | 20  C | ●            |
| Svavelsyra, vattenl.          | 98%               | 20  C | ●            |
| Sylt                          |                   | 20  C | ●            |
| Syre                          |                   | 20  C | ●            |
| Talg                          | technically grade | 20  C | ●            |
| Tenn(II)klorid, vattenl.      | any               | 20  C | ●            |
| Tenn(IV)klorid, vattenl.      | saturated         | 20  C | ●            |
| Terpentinolja                 | technically grade | 20  C | ●            |
| Tetrahydrofuran               | technically grade | 20  C | ●            |
| Tetrahydrofuran (THF)         | 100%              | 20  C | ●            |

