



Platta i PEEK+PTFE 3000x500x10 mm beige

Artikelnr P1501509

● Beständigt ● Delvis beständigt ● Ej beständigt

Kemikalie	Koncentration	Temp.	Best�ndighet
1,4-Dioxan	100	20 Å°C	●
2-Hydroxypropionic Acid	90	20 Å°C	●
Acetic Acid	100	20 Å°C	●
Aceton	100	20 Å°C	●
Ammoniak	â€”	20 Å°C	●
Ammonium Chloride	â€”	20 Å°C	●
Amyl Alcohol	â€”	20 Å°C	●
Apple Juice	â€”	20 Å°C	●
Bensen	â€”	20 Å°C	●
Bleaching Solution	â€”	20 Å°C	●
Boric Acid	100	20 Å°C	●
Brake Fluid	â€”	20 Å°C	●
Br�nsle, aromatfritt	â€”	20 Å°C	●
Butyl Acetate	â€”	20 Å°C	●
Calcium Chloride	â€”	20 Å°C	●
Carbon Disulfide	100	20 Å°C	●
Carbon Tetrachloride	â€”	20 Å°C	●
Citric Acid	10	20 Å°C	●
Cyklohexanon	100	20 Å°C	●
Cyklohexen	100	20 Å°C	●
Diesel Fuel	â€”	20 Å°C	●
Diethylene Oxide	â€”	20 Å°C	●
Ethyl Acetate	100	20 Å°C	●
Ethyl Alcohol	96	20 Å°C	●
Ethylene Chloride	100	20 Å°C	●
Fenol (vattenl.)	9	20 Å°C	●
Food Oil	â€”	20 Å°C	●

Kemikalie	Koncentration	Temp.	Beständighet
Formaldehyd (vattenl.)	40	20 Å°C	●
Formic Acid	10	20 Å°C	●
Frost Protection Agent	â€”	20 Å°C	●
Glycerin	100	20 Å°C	●
Glykol	100	20 Å°C	●
Heating Oil	â€”	20 Å°C	●
Heptan	100	20 Å°C	●
Hydrochloric Acid	10	20 Å°C	●
Hydrochloric Acid (concentrated)	â€”	20 Å°C	●
Hydrofluoric Acid	40	20 Å°C	●
Hydrogen Peroxide	10	20 Å°C	●
Hydrogen Sulfide (aqueous)	â€”	20 Å°C	●
Isopropyl Alcohol	100	20 Å°C	●
Klor (gas)	100	20 Å°C	●
Klorbensen	100	20 Å°C	●
Kloroform	â€”	20 Å°C	●
Kresol	â€”	20 Å°C	●
Linseed Oil	â€”	20 Å°C	●
Merkurokrom	â€”	20 Å°C	●
Methyl Alcohol	100	20 Å°C	●
Methyl Ethyl Ketone (MEK)	100	20 Å°C	●
Methylene Chloride	100	20 Å°C	●
Mineral Oils (aromatic free)	â€”	20 Å°C	●
Mj�lk	â€”	20 Å°C	●
Nitric Acid	10	20 Å°C	●
Nitric Acid	50	20 Å°C	●
Nitrobensen	â€”	20 Å°C	●
Oxalic Acid	â€”	20 Å°C	●
Ozone Gas	â€”	20 Å°C	●
Paraffine Oil	100	20 Å°C	●
Perkloretylen	â€”	20 Å°C	●
Petroleum	100	20 Å°C	●
Petroleum Ether	100	20 Å°C	●
Phosphoric Acid	50	20 Å°C	●
Potassium Hydroxide liquor	50	20 Å°C	●

