



PMMA E 150/144x2000 mm transparent

Artikelnr P1200756

Beständig Delvis beständig Ej beständig

Kemikalie	Koncentration	Temp.	Beständighet
Aceton	100%	20 Å°C	
Ammoniak	conc.	20 Å°C	
Amylalkohol	â€”	20 Å°C	
Bensen	â€”	20 Å°C	
Bensin (premium)	â€”	20 Å°C	
Bränsle, aromatfritt	â€”	20 Å°C	
Butylacetat	â€”	20 Å°C	
Citronsyra	10%	20 Å°C	
Cyklohexanon	100%	20 Å°C	
Cyklohexen	100%	20 Å°C	
Diesel	â€”	20 Å°C	
Dietylenoxid	â€”	20 Å°C	
Eldningsolja	â€”	20 Å°C	
Etylacetat	100%	20 Å°C	
Etylalkohol (etanol)	96%	20 Å°C	
Etylenklorid	100%	20 Å°C	
Fenol, vattenl.	ca. 9%	20 Å°C	
Fluorvätesyra	40%	20 Å°C	
Formaldehyd, vattenl.	40%	20 Å°C	
Fosforsyra	50%	20 Å°C	
Glycerin	100%	20 Å°C	
Glykol	100%	20 Å°C	
Heptan	100%	20 Å°C	
Isopropylalkohol	100%	20 Å°C	
Kalciumklorid	â€”	20 Å°C	
Kaliumhydroxidlösning	50%	20 Å°C	
Klorgas	100%	20 Å°C	

Kemikalie	Koncentration	Temp.	Beskrivning
Kloroform	â€”	20 Â°C	⬤
Koldisulfid	100%	20 Â°C	⬤
Koltetraklorid	â€”	20 Â°C	⬤
Kresol	â€”	20 Â°C	⬤
Linolja	â€”	20 Â°C	🟢
Merkurokrom	â€”	20 Â°C	⬤
Metylalkohol (metanol)	100%	20 Â°C	⬤
Metylenklorid	100%	20 Â°C	⬤
Metyletylketon (MEK)	100%	20 Â°C	⬤
Mineraloljor, aromatfria	â€”	20 Â°C	🟢
Mj�lk	â€”	20 Â°C	🟢
Myrsyra	10%	20 Â°C	⬤
Natriumhydroxid�sning (natronlut)	15%	20 Â°C	🟢
Natriumkarbonat, vattenl�sligt	â€”	20 Â°C	🟢
Natriumklorid, vattenl�sligt	â€”	20 Â°C	🟢
Natriumtiosulfat	â€”	20 Â°C	🟢
Natriumv�tesulfid	â€”	20 Â°C	🟢
Natronlut (60%)	60%	20 Â°C	⬤
Nitrobensen	â€”	20 Â°C	⬤
Oxalsyra	â€”	20 Â°C	🟢
Ozon (gas)	�n 0.5 ppm	20 Â°C	🟢
Paraffinolja	100%	20 Â°C	🟢
Perkloretylen	â€”	20 Â°C	�
Petroleum	100%	20 Â°C	�
Petroleometer	100%	20 Â°C	🟢
Salpetersyra	10%	20 Â°C	🟢
Salpetersyra (50%)	50%	20 Â°C	⬤
Saltsyra	10%	20 Â°C	🟢
Saltsyra (konc.)	conc.	20 Â°C	🟢
Silikonolja	â€”	20 Â°C	🟢
Svavelsyra	96%	20 Â°C	⬤
Tetrahydrofuran (THF)	100%	20 Â°C	⬤
Toluen	100%	20 Â°C	⬤
Transformatorolja	â€”	20 Â°C	🟢

Kemikalie	Koncentration	Temp.	Beständighet
Trikloreten	100%	20 Å°C	●
Vatten	â€”	20 Å°C	●
VÄöteperoxid	10%	20 Å°C	●
VÄötesulfid, vattenl.	â€”	20 Å°C	●
Xylen	â€”	20 Å°C	●
Ä„ppeljuice	â€”	20 Å°C	●
Ä„ttika, standard	5-10%	20 Å°C	●
Ä„ttiksyra	100%	20 Å°C	●