



# PMMA E 60/52x2000 mm transparent

Artikelnr P1200735

Beständig Delvis beständig Ej beständig

| Kemikalie             | Koncentration | Temp.  | Beständighet |
|-----------------------|---------------|--------|--------------|
| Aceton                | 100%          | 20 Å°C |              |
| Ammoniak              | conc.         | 20 Å°C |              |
| Amylalkohol           | â€”           | 20 Å°C |              |
| Bensen                | â€”           | 20 Å°C |              |
| Bensin (premium)      | â€”           | 20 Å°C |              |
| Bränsle, aromatfritt  | â€”           | 20 Å°C |              |
| Butylacetat           | â€”           | 20 Å°C |              |
| Citronsyra            | 10%           | 20 Å°C |              |
| Cyklohexanon          | 100%          | 20 Å°C |              |
| Cyklohexen            | 100%          | 20 Å°C |              |
| Diesel                | â€”           | 20 Å°C |              |
| Dietylenoxid          | â€”           | 20 Å°C |              |
| Eldningsolja          | â€”           | 20 Å°C |              |
| Etylacetat            | 100%          | 20 Å°C |              |
| Etylalkohol (etanol)  | 96%           | 20 Å°C |              |
| Etylenklorid          | 100%          | 20 Å°C |              |
| Fenol, vattenl.       | ca. 9%        | 20 Å°C |              |
| Fluorvätesyra         | 40%           | 20 Å°C |              |
| Formaldehyd, vattenl. | 40%           | 20 Å°C |              |
| Fosforsyra            | 50%           | 20 Å°C |              |
| Glycerin              | 100%          | 20 Å°C |              |
| Glykol                | 100%          | 20 Å°C |              |
| Heptan                | 100%          | 20 Å°C |              |
| Isopropylalkohol      | 100%          | 20 Å°C |              |
| Kalciumklorid         | â€”           | 20 Å°C |              |
| Kaliumhydroxidlösning | 50%           | 20 Å°C |              |
| Klorgas               | 100%          | 20 Å°C |              |

| Kemikalie                         | Koncentration | Temp.  | Beskrivning |
|-----------------------------------|---------------|--------|-------------|
| Kloroform                         | â€”           | 20 Â°C | ⬤           |
| Koldisulfid                       | 100%          | 20 Â°C | ⬤           |
| Koltetraklorid                    | â€”           | 20 Â°C | ⬤           |
| Kresol                            | â€”           | 20 Â°C | ⬤           |
| Linolja                           | â€”           | 20 Â°C | 🟢           |
| Merkurokrom                       | â€”           | 20 Â°C | ⬤           |
| Metylalkohol (metanol)            | 100%          | 20 Â°C | ⬤           |
| Metylenklorid                     | 100%          | 20 Â°C | ⬤           |
| Metyletylketon (MEK)              | 100%          | 20 Â°C | ⬤           |
| Mineraloljor, aromatfria          | â€”           | 20 Â°C | 🟢           |
| Mj lk                             | â€”           | 20 Â°C | 🟢           |
| Myrsyra                           | 10%           | 20 Â°C | ⬤           |
| Natriumhydroxid sning (natronlut) | 15%           | 20 Â°C | 🟢           |
| Natriumkarbonat, vattenl sligt    | â€”           | 20 Â°C | 🟢           |
| Natriumklorid, vattenl sligt      | â€”           | 20 Â°C | 🟢           |
| Natriumtiosulfat                  | â€”           | 20 Â°C | 🟢           |
| Natriumv tesulfid                 | â€”           | 20 Â°C | 🟢           |
| Natronlut (60%)                   | 60%           | 20 Â°C | ⬤           |
| Nitrobensen                       | â€”           | 20 Â°C | ⬤           |
| Oxalsyra                          | â€”           | 20 Â°C | 🟢           |
| Ozon (gas)                        |  n 0.5 ppm    | 20 Â°C | 🟢           |
| Paraffinolja                      | 100%          | 20 Â°C | 🟢           |
| Perkloretylen                     | â€”           | 20 Â°C | 🟡           |
| Petroleum                         | 100%          | 20 Â°C | 🟡           |
| Petroleometer                     | 100%          | 20 Â°C | 🟢           |
| Salpetersyra                      | 10%           | 20 Â°C | 🟢           |
| Salpetersyra (50%)                | 50%           | 20 Â°C | ⬤           |
| Saltsyra                          | 10%           | 20 Â°C | 🟢           |
| Saltsyra (konc.)                  | conc.         | 20 Â°C | 🟢           |
| Silikonolja                       | â€”           | 20 Â°C | 🟢           |
| Svavelsyra                        | 96%           | 20 Â°C | ⬤           |
| Tetrahydrofuran (THF)             | 100%          | 20 Â°C | ⬤           |
| Toluen                            | 100%          | 20 Â°C | ⬤           |
| Transformatorolja                 | â€”           | 20 Â°C | 🟢           |

| Kemikalie             | Koncentration | Temp.  | Beständighet |
|-----------------------|---------------|--------|--------------|
| Trikloreten           | 100%          | 20 Å°C | ●            |
| Vatten                | â€”           | 20 Å°C | ●            |
| VÄŕteperoxid          | 10%           | 20 Å°C | ●            |
| VÄŕtesulfid, vattenl. | â€”           | 20 Å°C | ●            |
| Xylen                 | â€”           | 20 Å°C | ●            |
| Ä„ppeljuice           | â€”           | 20 Å°C | ●            |
| Ä„ttika, standard     | 5-10%         | 20 Å°C | ●            |
| Ä„ttiksyra            | 100%          | 20 Å°C | ●            |