

Ämnesrör i POM CGL 100/40x3000 mm blå

Artikelnr P1008251

● Beständig
 ● Delvis beständig
 ● Ej beständig

| Kemikalie | Koncentration | Temp. | Beständighet |
|-------------------------|---------------|--------|--------------|
| 1,4-Dioxan | 100% | 20 Å°C | ● |
| 2-Hydroxypropionic Acid | 90% | 20 Å°C | ● |
| Acetic Acid | 100% | 20 Å°C | ● |
| Aceton | 100% | 20 Å°C | ● |
| Ammoniak | conc. | 20 Å°C | ● |
| Ammonium Chloride | â€ | 20 Å°C | ● |
| Amyl Alcohol | â€ | 20 Å°C | ● |
| Apple Juice | â€ | 20 Å°C | ● |
| Bensen | â€ | 20 Å°C | ● |
| Bleaching Solution | 12.5 cl | 20 Å°C | ● |
| Boric Acid | 100% | 20 Å°C | ● |
| Brake Fluid | â€ | 20 Å°C | ● |
| Bränsle, aromatfritt | â€ | 20 Å°C | ● |
| Butyl Acetate | â€ | 20 Å°C | ● |
| Calcium Chloride | â€ | 20 Å°C | ● |
| Carbon Disulfide | 100% | 20 Å°C | ● |
| Carbon Tetrachloride | â€ | 20 Å°C | ● |
| Citric Acid | 10% | 20 Å°C | ● |
| Cyklohexanon | 100% | 20 Å°C | ● |
| Cyklohexen | 100% | 20 Å°C | ● |
| Diesel Fuel | â€ | 20 Å°C | ● |
| Diethylene Oxide | â€ | 20 Å°C | ● |
| Ethyl Acetate | 100% | 20 Å°C | ● |
| Ethyl Alcohol | 96% | 20 Å°C | ● |
| Ethylene Chloride | 100% | 20 Å°C | ● |
| Fenol, vattenl. | ca. 9% | 20 Å°C | ● |
| Food Oil | â€ | 20 Å°C | ● |

| Kemikalie | Koncentration | Temp. | Beständighet |
|------------------------------------|---------------|--------|--------------|
| Formaldehyd, vattenl. | 40% | 20 Å°C | ● |
| Formic Acid | 10% | 20 Å°C | ● |
| Frost Protection Agent | â€” | 20 Å°C | ● |
| Glycerin | 100% | 20 Å°C | ● |
| Glykol | 100% | 20 Å°C | ● |
| Heating Oil | â€” | 20 Å°C | ● |
| Heptan | 100% | 20 Å°C | ● |
| Hydrochloric Acid | 10% | 20 Å°C | ● |
| Hydrochloric Acid (concentrated) | conc. | 20 Å°C | ● |
| Hydrofluoric Acid | 40% | 20 Å°C | ● |
| Hydrogen Peroxide | 10% | 20 Å°C | ● |
| Hydrogen Sulfide, aqueous solution | â€” | 20 Å°C | ● |
| Isopropyl Alcohol | 100% | 20 Å°C | ● |
| Klor (gas) | 100% | 20 Å°C | ● |
| Klorbensen | 100% | 20 Å°C | ● |
| Kloroform | â€” | 20 Å°C | ● |
| Kresol | â€” | 20 Å°C | ● |
| Linseed Oil | â€” | 20 Å°C | ● |
| Merkurokrom | â€” | 20 Å°C | ● |
| Methyl Alcohol | 100% | 20 Å°C | ● |
| Methyl Ethyl Ketone (MEK) | 100% | 20 Å°C | ● |
| Methylene Chloride | 100% | 20 Å°C | ● |
| Mineral Oils (aromatic free) | â€” | 20 Å°C | ● |
| MjÅ¶lk | â€” | 20 Å°C | ● |
| Nitric Acid | 10% | 20 Å°C | ● |
| Nitric Acid (50%) | 50% | 20 Å°C | ● |
| Nitrobensen | â€” | 20 Å°C | ● |
| Oxalic Acid | â€” | 20 Å°C | ● |
| Ozone Gas | â‰ƒ0.5 ppm | 20 Å°C | ● |
| Paraffine Oil | 100% | 20 Å°C | ● |
| Perkloretylen | â€” | 20 Å°C | ● |
| Petroleum | 100% | 20 Å°C | ● |
| Petroleum Ether | 100% | 20 Å°C | ● |
| Phosphoric Acid | 50% | 20 Å°C | ● |
| Potassium Hydroxide liquor | 50% | 20 Å°C | ● |

| Kemikalie | Koncentration | Temp. | Best ndighet |
|-------------------------------|---------------|-------|--------------|
| Premium Fuel |    | 20  C |   |
| Propyl Alcohol |    | 20  C |   |
| Pyridin |    | 20  C |   |
| Silicone Oil |    | 20  C |   |
| Sodium Carbonate, aqueous |    | 20  C |   |
| Sodium Chloride, aqueous |    | 20  C |   |
| Sodium Hydrogen Sulfite |    | 20  C |   |
| Sodium Hydroxide liquor (15%) | 15% | 20  C |   |
| Sodium Hydroxide liquor (60%) | 60% | 20  C |   |
| Sodium Nitrate, aqueous |    | 20  C |   |
| Sodium Thiosulfate |    | 20  C |   |
| Sulfuric Acid | 96% | 20  C |   |
| Tetrahydrofuran, THF | 100% | 20  C |   |
| Toluen | 100% | 20  C |   |
| Transformer Oil |    | 20  C |   |
| Trikloretan | 100% | 20  C |   |
| Vatten |    | 20  C |   |
| Xylen |    | 20  C |   |
|  ttika, standard | 5-10% | 20  C |   |