

PA12 140x3000 mm svart

Artikelnummer: P1000274

Kemisk beständighet

A Utmärkt **B** God **C** Begränsad **D** Ej rekommenderad

KEMIKALE	BETYG	KONCENTRATION	TEMPERATUR
1,4-Dioxane	B	100%	
2-Hydroxypropionic Acid	D	90%	
Acetone	B	100%	
Ammonia	A	conc. %	
Ammonium Chloride	A		
Amyl Alcohol	B		
Apple Juice	A		
Benzene	A		
Bleaching Solution	D	12.5 cl%	
Boric Acid	B	100%	
Brake Fluid	A		
Butyl Acetate	A		
Calcium Chloride	A		
Carbon Disulfide	A	100%	
Carbon Tetrachloride	A		
Chlorine (gas)	D	100%	
Chlorobenzene	B	100%	
Chloroform	D		
	A		
Citric Acid		10%	
Cresol	D		

KEMIKALE	BETYG	KONCENTRATION	TEMPERATUR
Cyclohexanone	A	100%	
Cyclohexene	B	100%	
Diesel Fuel	A		
Diethylene Oxide	A		
Ethyl Acetate	A	100%	
Ethyl Alcohol	B	96%	
Ethylene Chloride	D	100%	
Food Oil	A		
Formaldehyde (aqueous)	B	40%	
Formic Acid	B	10%	
Fuel (aromatic free)	A		
Glycerin	A	100%	
Glycol	A	100%	
Heating Oil	A		
Heptane	A	100%	
Hydrochloric Acid	B	10%	
Hydrochloric Acid (concentrated)	D	conc. %	
Hydrofluoric Acid	D	40%	
Hydrogen Peroxide	D	10%	
Hydrogen Sulfide (aqueous)	A		
Isopropyl Alcohol	D	100%	
Linseed Oil	A		
Mercurochrome	D		
Methyl Alcohol	D	100%	
Methyl Ethyl Ketone (MEK)	D	100%	
Methylene Chloride	D	100%	
Milk	A		
Mineral Oils (aromatic free)	A		
Nitric Acid	D	10%	

KEMIKALE	BETYG	KONCENTRATION	TEMPERATUR
Nitric Acid	D	50%	
Nitrobenzene	B		
Oxalic Acid	A		
Ozone Gas	D	≤ 0.5 ppm%	
Paraffine Oil	A	100%	
Perchloroethylene	A		
Petroleum	A	100%	
Petroleum Ether	A	100%	
Phenol (aqueous)	D	ca. 9%	
Phosphoric Acid	D	50%	
Potassium Hydroxide liquor	A	50%	
Premium Fuel	A		
Propyl Alcohol	D		
Pyridine	B		
Silicone Oil	A		
Sodium Carbonate (aqueous)	A		
Sodium Chloride (aqueous)	A		
Sodium Hydroxide liquor	A	15%	
Sodium Nitrate (aqueous)	A		
Sodium Thiosulfate	A		
Sulfuric Acid	D	96%	
Tetrahydrofuran (THF)	B	100%	
Toluene	A	100%	
Transformer Oil	A		
Trichloroethylene	B	100%	
Vinegar (standard)	A	5 - 10%	
Water	A		
Xylene	A		



PlastShop.se
Söderleden 22
587 31 Linköping
Sverige

PlastShop.se
Söderleden 22 , Linköping , Sverige

Tel: +46 13 328 94 00
info@plastshop.se
<https://plastshop.se>

Informationen i detta dokument baseras på aktuell kunskap och erfarenhet. Värden kan variera beroende på bearbetning och användningsförhållanden. Alla uppgifter utan garanti.