



# Rundst ng i PE Ultra HD Ast 160x2000 mm svart

Artikelnr P1400164

Best ndig Delvis best ndig Ej best ndig

| Kemikalie                        | Koncentration     | Temp. | Best ndighet |
|----------------------------------|-------------------|-------|--------------|
| 1,4-Dioxan                       | 100%              | 20  C | Best ndig    |
| 2-Hydroxypropionic Acid          | 90%               | 20  C | Best ndig    |
| Acetaldehyd                      |                   | 20  C | Best ndig    |
| Acetic Acid                      | 100%              | 20  C | Best ndig    |
| Aceton                           |                   | 20  C | Best ndig    |
| Aceton                           | 100%              | 20  C | Best ndig    |
| Acronal-dispersjoner             |                   | 20  C | Best ndig    |
| Akrylonitril                     |                   | 20  C | Best ndig    |
| Allylacetat                      |                   | 20  C | Best ndig    |
| Allylalkohol                     | 96%               | 20  C | Best ndig    |
| Allylklorid                      |                   | 20  C | Best ndig    |
| Aluminiumfluorid                 | Conc.             | 20  C | Best ndig    |
| Aluminiumhydroxid                |                   | 20  C | Best ndig    |
| Aluminiumklorid, fast            |                   | 20  C | Best ndig    |
| Aluminiumklorid, vattenl.        | any               | 20  C | Best ndig    |
| Aluminiummetafosfat              |                   | 20  C | Best ndig    |
| Aluminiumsulfat, fast            |                   | 20  C | Best ndig    |
| Aluminiumsulfat, vattenl. m ttad |                   | 20  C | Best ndig    |
| Ammoniak                         | concentrated      | 20  C | Best ndig    |
| Ammoniak, flytande               |                   | 20  C | Best ndig    |
| Ammoniak, gas                    |                   | 20  C | Best ndig    |
| Ammonium Chloride                |                   | 20  C | Best ndig    |
| Amyl Alcohol                     |                   | 20  C | Best ndig    |
| Anilin                           | any               | 20  C | Best ndig    |
| Anisol                           |                   | 20  C | Best ndig    |
| Apple Juice                      |                   | 20  C | Best ndig    |
| Bensen                           | technically grade | 20  C | Ej best ndig |

| Kemikalie               | Koncentration | Temp.  | BestÃndighet |
|-------------------------|---------------|--------|--------------|
| Bensen                  | â€”           | 20 Â°C | ●            |
| Bensoesyra, vattenl.    | any           | 20 Â°C | ●            |
| Bensylalkohol           | â€”           | 20 Â°C | ●            |
| Benzaldehyd, vattenl.   | any           | 20 Â°C | ●            |
| Bitumen                 | â€”           | 20 Â°C | ●            |
| Bleaching Solution      | 12.5 cl       | 20 Â°C | ●            |
| BlÃ¶ck                  | â€”           | 20 Â°C | ●            |
| Boric Acid              | 100%          | 20 Â°C | ●            |
| Brake Fluid             | â€”           | 20 Â°C | ●            |
| Brom, flytande          | 100%          | 20 Â°C | ●            |
| BromvÃ¶tesyra, vattenl. | 50%           | 20 Â°C | ●            |
| BrÃ¶nsl  (aromatfritt)  | â€”           | 20 Â°C | ●            |
| Butanol, vattenl.       | any           | 20 Â°C | ●            |
| Butyl Acetate           | â€”           | 20 Â°C | ●            |
| Calcium Chloride        | â€”           | 20 Â°C | ●            |
| Calcium carbonate       | â€”           | 20 Â°C | ●            |
| Calcium carbonate       | â€”           | 20 Â°C | ●            |
| Carbon Disulfide        | 100%          | 20 Â°C | ●            |
| Carbon Tetrachloride    | â€”           | 20 Â°C | ●            |
| Caustic soda            | any           | 20 Â°C | ●            |
| Cider                   | â€”           | 20 Â°C | ●            |
| Citric Acid             | 10%           | 20 Â°C | ●            |
| Citrusfruktjuicer       | â€”           | 20 Â°C | ●            |
| Cyklohexan              | â€”           | 20 Â°C | ●            |
| Cyklohexanol            | â€”           | 20 Â°C | ●            |
| Cyklohexanon            | 100%          | 20 Â°C | ●            |
| Cyklohexanon            | â€”           | 20 Â°C | ●            |
| Cyklohexen              | 100%          | 20 Â°C | ●            |
| Dibutyleter             | â€”           | 20 Â°C | ●            |
| Dibutylftalat           | â€”           | 20 Â°C | ●            |
| Diesel Fuel             | â€”           | 20 Â°C | ●            |
| Diesel fuel             | â€”           | 20 Â°C | ●            |
| Diethylene Oxide        | â€”           | 20 Â°C | ●            |
| Diglykolsyra, vattenl.  | 30%           | 20 Â°C | ●            |

[illegible]

| Kemikalie                              | Koncentration | Temp. | Best ndighet |
|----------------------------------------|---------------|-------|--------------|
| Ftalsyra, vattenl.                     | 50%           | 20  C | ●            |
| Furfurol                               |               | 20  C | ●            |
| Garvsyra (tannin), vattenl.            | 10%           | 20  C | ●            |
| Glycerin                               | 100%          | 20  C | ●            |
| Glycerin, aqueous                      | any           | 20  C | ●            |
| Glykol                                 | 100%          | 20  C | ●            |
| Glykol, aqueous                        | as supplied   | 20  C | ●            |
| Glysantin                              |               | 20  C | ●            |
| Havsvatten                             |               | 20  C | ●            |
| Heating Oil                            |               | 20  C | ●            |
| Heptan                                 |               | 20  C | ●            |
| Heptan                                 | 100%          | 20  C | ●            |
| Hexan                                  |               | 20  C | ●            |
| Honung                                 |               | 20  C | ●            |
| Hydrochloric Acid                      | 10%           | 20  C | ●            |
| Hydrochloric Acid (concentrated)       | concentrated  | 20  C | ●            |
| Hydrofluoric Acid                      | 40%           | 20  C | ●            |
| Hydrogen Peroxide                      | 10%           | 20  C | ●            |
| Hydrogen Sulfide (aqueous solution)    |               | 20  C | ●            |
| Isooktan                               |               | 20  C | ●            |
| Isopropanol                            |               | 20  C | ●            |
| Isopropyl Alcohol                      | 100%          | 20  C | ●            |
| Isopropyleter                          |               | 20  C | ●            |
| Jod i kaliumjodidl sning               | 3% iodine     | 20  C | ●            |
| J  rn(II)klorid, vattenl. m ttad       |               | 20  C | ●            |
| J  rn(II)sulfat, vattenl. m ttad       |               | 20  C | ●            |
| J  rn(III)klorid, vattenl.             | any           | 20  C | ●            |
| J  rn(III)klorid, vattenl. m ttad      |               | 20  C | ●            |
| J  rn(III)nitrat, vattenl. m ttad      |               | 20  C | ●            |
| J  rn(III)sulfat, vattenl. m ttad      |               | 20  C | ●            |
| Kalciumhypoklorit, vattenl. suspension | any           | 20  C | ●            |
| Kamfer                                 |               | 20  C | ●            |
| Klor (gas)                             | 100%          | 20  C | ●            |
| Klor, flytande                         |               | 20  C | ●            |
| Klorbensen                             | 100%          | 20  C | ●            |

[illegible]

| Kemikalie                           | Koncentration | Temp.   | Best ndighet |
|-------------------------------------|---------------|---------|--------------|
| Natriumhydroxid, fast               |               | 20   C  |              |
| Natriumhydroxid, vattenl.           | any           | 20   C  |              |
| Nitric Acid                         | 10%           | 20   C  |              |
| Nitric Acid (50%)                   | 50%           | 20   C  |              |
| Nitrobensen                         |               | 20   C  |              |
| Nitrobensen                         |               | 20   C  |              |
| Oils, ethereal                      |               | 20   C  |              |
| Oleum                               | any           | 20   C  |              |
| Olive oil                           |               | 100   C |              |
| Olive oil                           |               | 100   C |              |
| Olive oil                           |               | 100   C |              |
| Olive oil                           |               | 20   C  |              |
| Oljesyra                            |               | 20   C  |              |
| Oljor, vegetabiliska och animaliska |               | 20   C  |              |
| Oxalic Acid                         |               | 20   C  |              |
| Oxalsyra, vattenl.                  | any           | 20   C  |              |
| Ozon                                | 50 ppm        | 20   C  |              |
| Ozone Gas                           |    0.5 ppm    | 20   C  |              |
| Paraffine Oil                       | 100%          | 20   C  |              |
| Perkloretylen                       |               | 20   C  |              |
| Perklorsyra, vattenl.               | 50%           | 20   C  |              |
| Perklorsyra, vattenl.               | 70%           | 20   C  |              |
| Perklorsyra, vattenl.               | 20%           | 20   C  |              |
| Petroleum                           |               | 20   C  |              |
| Petroleum                           | 100%          | 20   C  |              |
| Petroleum Ether                     | 100%          | 20   C  |              |
| Petroleumeter                       |               | 20   C  |              |
| Phosphoric Acid                     | 50%           | 20   C  |              |
| Photographic developers             |               | 20   C  |              |
| Photographic emulsions              | as supplied   | 20   C  |              |
| Photographic fixing baths           | as supplied   | 20   C  |              |
| Polyesterhartser                    |               | 20   C  |              |
| Potassium Hydroxide liquor          | 50%           | 20   C  |              |
| Premium Fuel                        |               | 20   C  |              |

| Kemikalie                     | Koncentration     | Temp. | Best ndighet |
|-------------------------------|-------------------|-------|--------------|
| Propionsyra, vattenl.         | any               | 20  C | ●            |
| Propyl Alcohol                |                   | 20  C | ●            |
| Pyridin                       |                   | 20  C | ●            |
| Pyridin                       |                   | 20  C | ●            |
| Salpetersyra, vattenl.        | 25%               | 20  C | ●            |
| Salpetersyra, vattenl.        | 50%               | 20  C | ●            |
| Saltsyra, vattenl.            | any               | 20  C | ●            |
| Silicon dioxide               |                   | 20  C | ●            |
| Silicon dioxide               |                   | 20  C | ●            |
| Silicone Oil                  |                   | 20  C | ●            |
| Silikonolja                   | technically grade | 20  C | ●            |
| Sm r                          |                   | 20  C | ●            |
| Sockersirap                   |                   | 20  C | ●            |
| Sodium Carbonate (aqueous)    |                   | 20  C | ●            |
| Sodium Chloride (aqueous)     |                   | 20  C | ●            |
| Sodium Hydrogen Sulfite       |                   | 20  C | ●            |
| Sodium Hydroxide liquor       | 15%               | 20  C | ●            |
| Sodium Hydroxide liquor (60%) | 60%               | 20  C | ●            |
| Sodium Nitrate (aqueous)      |                   | 20  C | ●            |
| Sodium Thiosulfate            |                   | 20  C | ●            |
| Sodium borate                 |                   | 20  C | ●            |
| Stearinsyra                   |                   | 20  C | ●            |
| Sulfuric Acid                 | 96%               | 20  C | ●            |
| Svavelsyra, vattenl.          |    50%            | 20  C | ●            |
| Svavelsyra, vattenl.          | 80%               | 20  C | ●            |
| Svavelsyra, vattenl.          | 98%               | 20  C | ●            |
| Svavelsyra, vattenl.          | 70%               | 20  C | ●            |
| Sylt                          |                   | 20  C | ●            |
| Syre                          |                   | 20  C | ●            |
| Talg                          | technically grade | 20  C | ●            |
| Tenn(II)klorid, vattenl.      | any               | 20  C | ●            |
| Tenn(IV)klorid, vattenl.      | saturated         | 20  C | ●            |
| Terpentinolja                 | technically grade | 20  C | ●            |
| Tetrahydrofuran               | technically grade | 20  C | ●            |
| Tetrahydrofuran (THF)         | 100%              | 20  C | ●            |

| Kemikalie                      |                   | Koncentration | Temp.   | Best ndighet |
|--------------------------------|-------------------|---------------|---------|--------------|
| Tiofen                         |                   |               | 20   C  |              |
| Tionylklorid                   |                   |               | 20   C  |              |
| Titanium dioxide               |                   |               | 20   C  |              |
| Titanium dioxide               |                   |               | 20   C  |              |
| Toluen                         | technically grade |               | 20   C  |              |
| Toluen                         | 100%              |               | 20   C  |              |
| Torskleversolja                |                   |               | 20   C  |              |
| Transformatorolja (isolerolja) | technically grade |               | 20   C  |              |
| Transformer Oil                |                   |               | 20   C  |              |
| Trichloracetic acid            | technically grade |               | 20   C  |              |
| Trietanolamin                  |                   |               | 20   C  |              |
| Trietanolamin                  |                   |               | 20   C  |              |
| Trikloret n                    | technically grade |               | 20   C  |              |
| Trikloret n                    | 100%              |               | 20   C  |              |
| Urea, aqueous                  |     33%           |               | 20   C  |              |
| Vaselin                        | technically grade |               | 20   C  |              |
| Vatten                         |                   |               | 20   C  |              |
| Vatten, destillerat            |                   |               | 20   C  |              |
| Vin                            |                   |               | 20   C  |              |
| Washing up liquids             | usual             |               | 20   C  |              |
| Xylen                          |                   |               | 20   C  |              |
| Xylen                          |                   |               | 20   C  |              |
| Zinkslam                       |                   |               | 20   C  |              |
|    ttika (standard)            | 5-10%             |               | 20   C  |              |
|    ttiksyra                    | 3% w/w            |               | 20   C  |              |
|    ttiksyra                    | 100%              |               | 20   C  |              |
|    ttiksyra                    | 3%                |               | 100   C |              |
|    ttiksyra                    | 3%                |               | 100   C |              |
|    ttiksyra                    | 3%                |               | 100   C |              |
|    ttiksyra, vattenl.          | 70%               |               | 20   C  |              |
|    ttiksyraanhydrid            |                   |               | 20   C  |              |
|     I                          |                   |               | 20   C  |              |