



PEEK+PTFE 60x3000 mm beige

Artikelnr P1501500

Beständig

Delvis beständig

Ej beständig

Kemikalie	Koncentration	Temp.	Beständighet
1,4-Dioxan	100	20 Å°C	
2-Hydroxypropionic Acid	90	20 Å°C	
Acetic Acid	100	20 Å°C	
Aceton	100	20 Å°C	
Ammoniak	â€”	20 Å°C	
Ammonium Chloride	â€”	20 Å°C	
Amyl Alcohol	â€”	20 Å°C	
Apple Juice	â€”	20 Å°C	
Bensen	â€”	20 Å°C	
Bleaching Solution	â€”	20 Å°C	
Boric Acid	100	20 Å°C	
Brake Fluid	â€”	20 Å°C	
Br�nsle, aromatfritt	â€”	20 Å°C	
Butyl Acetate	â€”	20 Å°C	
Calcium Chloride	â€”	20 Å°C	
Carbon Disulfide	100	20 Å°C	
Carbon Tetrachloride	â€”	20 Å°C	
Citric Acid	10	20 Å°C	
Cyklohexanon	100	20 Å°C	
Cyklohexen	100	20 Å°C	
Diesel Fuel	â€”	20 Å°C	
Diethylene Oxide	â€”	20 Å°C	
Ethyl Acetate	100	20 Å°C	
Ethyl Alcohol	96	20 Å°C	
Ethylene Chloride	100	20 Å°C	
Fenol (vattenl.)	9	20 Å°C	
Food Oil	â€”	20 Å°C	

Kemikalie		Koncentration	Temp.	Best�ndighet
Formaldehyd (vattenl.)	40		20 ��C	�
Formic Acid	10		20 ��C	�
Frost Protection Agent	��		20 ��C	�
Glycerin	100		20 ��C	�
Glykol	100		20 ��C	�
Heating Oil	��		20 ��C	�
Heptan	100		20 ��C	�
Hydrochloric Acid	10		20 ��C	�
Hydrochloric Acid (concentrated)	��		20 ��C	�
Hydrofluoric Acid	40		20 ��C	�
Hydrogen Peroxide	10		20 ��C	�
Hydrogen Sulfide (aqueous)	��		20 ��C	�
Isopropyl Alcohol	100		20 ��C	�
Klor (gas)	100		20 ��C	�
Klorbensen	100		20 ��C	�
Kloroform	��		20 ��C	�
Kresol	��		20 ��C	�
Linseed Oil	��		20 ��C	�
Merkurokrom	��		20 ��C	�
Methyl Alcohol	100		20 ��C	�
Methyl Ethyl Ketone (MEK)	100		20 ��C	�
Methylene Chloride	100		20 ��C	�
Mineral Oils (aromatic free)	��		20 ��C	�
Mj��lk	��		20 ��C	�
Nitric Acid	10		20 ��C	�
Nitric Acid	50		20 ��C	�
Nitrobensen	��		20 ��C	�
Oxalic Acid	��		20 ��C	�
Ozone Gas	��		20 ��C	�
Paraffine Oil	100		20 ��C	�
Perkloretylen	��		20 ��C	�
Petroleum	100		20 ��C	�
Petroleum Ether	100		20 ��C	�
Phosphoric Acid	50		20 ��C	�
Potassium Hydroxide liquor	50		20 ��C	�

