



PMMA E 2x2000 mm transparent

Artikelnr P1200641

Beständig Delvis beständig Ej beständig

Kemikalie	Koncentration	Temp.	Beständighet
Aceton	100%	20 Å°C	
Ammoniak	conc.	20 Å°C	
Amylalkohol	â€”	20 Å°C	
Bensen	â€”	20 Å°C	
Bensin (premium)	â€”	20 Å°C	
Bränsle, aromatfritt	â€”	20 Å°C	
Butylacetat	â€”	20 Å°C	
Citronsyra	10%	20 Å°C	
Cyklohexanon	100%	20 Å°C	
Cyklohexen	100%	20 Å°C	
Diesel	â€”	20 Å°C	
Dietylenoxid	â€”	20 Å°C	
Eldningsolja	â€”	20 Å°C	
Etylacetat	100%	20 Å°C	
Etylalkohol (etanol)	96%	20 Å°C	
Etylenklorid	100%	20 Å°C	
Fenol, vattenl.	ca. 9%	20 Å°C	
Fluorvätesyra	40%	20 Å°C	
Formaldehyd, vattenl.	40%	20 Å°C	
Fosforsyra	50%	20 Å°C	
Glycerin	100%	20 Å°C	
Glykol	100%	20 Å°C	
Heptan	100%	20 Å°C	
Isopropylalkohol	100%	20 Å°C	
Kalciumklorid	â€”	20 Å°C	
Kaliumhydroxidlösning	50%	20 Å°C	
Klorgas	100%	20 Å°C	

Kemikalie	Koncentration	Temp.	Beskrivning
Kloroform	â€”	20 Â°C	⚠️
Koldisulfid	100%	20 Â°C	⚠️
Koltetraklorid	â€”	20 Â°C	⚠️
Kresol	â€”	20 Â°C	⚠️
Linolja	â€”	20 Â°C	✅
Merkurokrom	â€”	20 Â°C	⚠️
Metylalkohol (metanol)	100%	20 Â°C	⚠️
Metylenklorid	100%	20 Â°C	⚠️
Metyletylketon (MEK)	100%	20 Â°C	⚠️
Mineraloljor, aromatfria	â€”	20 Â°C	✅
Mj�lk	â€”	20 Â°C	✅
Myrsyra	10%	20 Â°C	⚠️
Natriumhydroxid�sning (natronlut)	15%	20 Â°C	✅
Natriumkarbonat, vattenl�sligt	â€”	20 Â°C	✅
Natriumklorid, vattenl�sligt	â€”	20 Â°C	✅
Natriumtiosulfat	â€”	20 Â°C	✅
Natriumv�tesulfid	â€”	20 Â°C	✅
Natronlut (60%)	60%	20 Â°C	⚠️
Nitrobensen	â€”	20 Â°C	⚠️
Oxalsyra	â€”	20 Â°C	✅
Ozon (gas)	�n 0.5 ppm	20 Â°C	✅
Paraffinolja	100%	20 Â°C	✅
Perkloretylen	â€”	20 Â°C	⚠️
Petroleum	100%	20 Â°C	⚠️
Petroleometer	100%	20 Â°C	✅
Salpetersyra	10%	20 Â°C	✅
Salpetersyra (50%)	50%	20 Â°C	⚠️
Saltsyra	10%	20 Â°C	✅
Saltsyra (konc.)	conc.	20 Â°C	✅
Silikonolja	â€”	20 Â°C	✅
Svavelsyra	96%	20 Â°C	⚠️
Tetrahydrofuran (THF)	100%	20 Â°C	⚠️
Toluen	100%	20 Â°C	⚠️
Transformatorolja	â€”	20 Â°C	✅

Kemikalie	Koncentration	Temp.	Beständighet
Trikloreten	100%	20 Å°C	●
Vatten	â€”	20 Å°C	●
VÄŕteperoxid	10%	20 Å°C	●
VÄŕtesulfid, vattenl.	â€”	20 Å°C	●
Xylen	â€”	20 Å°C	●
Ä„ppeljuice	â€”	20 Å°C	●
Ä„ttika, standard	5-10%	20 Å°C	●
Ä„ttiksyra	100%	20 Å°C	●