



Rundstång i POM H 32x3000 mm svart

Artikelnr P1008591

● Beständig

● Delvis beständig

● Ej beständig

Kemikalie	Koncentration	Temp.	Beständighet
1,4-Dioxan	100%	20 Å°C	●
2-Hydroxypropionic Acid	90%	20 Å°C	●
Acetic Acid	100%	20 Å°C	●
Aceton	100%	20 Å°C	●
Ammoniak	conc.	20 Å°C	●
Ammonium Chloride	â€”	20 Å°C	●
Amyl Alcohol	â€”	20 Å°C	●
Apple Juice	â€”	20 Å°C	●
Bensen	â€”	20 Å°C	●
Bleaching Solution	12.5 cl	20 Å°C	●
Boric Acid	100%	20 Å°C	●
Brake Fluid	â€”	20 Å°C	●
Bränsle, aromatfritt	â€”	20 Å°C	●
Butyl Acetate	â€”	20 Å°C	●
Calcium Chloride	â€”	20 Å°C	●
Carbon Disulfide	100%	20 Å°C	●
Carbon Tetrachloride	â€”	20 Å°C	●
Citric Acid	10%	20 Å°C	●
Cyklohexanon	100%	20 Å°C	●
Cyklohexen	100%	20 Å°C	●
Diesel Fuel	â€”	20 Å°C	●
Diethylene Oxide	â€”	20 Å°C	●
Ethyl Acetate	100%	20 Å°C	●
Ethyl Alcohol	96%	20 Å°C	●
Ethylene Chloride	100%	20 Å°C	●
Fenol, vattenl.	ca. 9%	20 Å°C	●
Food Oil	â€”	20 Å°C	●

Kemikalie	Koncentration	Temp.	Beständighet
Formaldehyd, vattenl.	40%	20 Å°C	●
Formic Acid	10%	20 Å°C	●
Frost Protection Agent	â€”	20 Å°C	●
Glycerin	100%	20 Å°C	●
Glykol	100%	20 Å°C	●
Heating Oil	â€”	20 Å°C	●
Heptan	100%	20 Å°C	●
Hydrochloric Acid	10%	20 Å°C	●
Hydrochloric Acid (concentrated)	conc.	20 Å°C	●
Hydrofluoric Acid	40%	20 Å°C	●
Hydrogen Peroxide	10%	20 Å°C	●
Hydrogen Sulfide, aqueous solution	â€”	20 Å°C	●
Isopropyl Alcohol	100%	20 Å°C	●
Klor (gas)	100%	20 Å°C	●
Klorbensen	100%	20 Å°C	●
Kloroform	â€”	20 Å°C	●
Kresol	â€”	20 Å°C	●
Linseed Oil	â€”	20 Å°C	●
Merkurokrom	â€”	20 Å°C	●
Methyl Alcohol	100%	20 Å°C	●
Methyl Ethyl Ketone (MEK)	100%	20 Å°C	●
Methylene Chloride	100%	20 Å°C	●
Mineral Oils (aromatic free)	â€”	20 Å°C	●
MjÅlk	â€”	20 Å°C	●
Nitric Acid	10%	20 Å°C	●
Nitric Acid (50%)	50%	20 Å°C	●
Nitrobensen	â€”	20 Å°C	●
Oxalic Acid	â€”	20 Å°C	●
Ozone Gas	â‰ƒ0.5 ppm	20 Å°C	●
Paraffine Oil	100%	20 Å°C	●
Perkloretylen	â€”	20 Å°C	●
Petroleum	100%	20 Å°C	●
Petroleum Ether	100%	20 Å°C	●
Phosphoric Acid	50%	20 Å°C	●
Potassium Hydroxide liquor	50%	20 Å°C	●

