



## POM H 56x1000 mm natur

Artikelnr P1008627

● Beständig ● Delvis beständig ● Ej beständig

| Kemikalie               | Koncentration | Beständ. |
|-------------------------|---------------|----------|
| 1,4-Dioxan              | 100%          | ●        |
| 2-Hydroxypropionic Acid | 90%           | ●        |
| Acetic Acid             | 100%          | ●        |
| Aceton                  | 100%          | ●        |
| Ammoniak                | conc.         | ●        |
| Ammonium Chloride       | –             | ●        |
| Amyl Alcohol            | –             | ●        |
| Apple Juice             | –             | ●        |
| Bensen                  | –             | ●        |
| Bleaching Solution      | 12.5 cl       | ●        |
| Boric Acid              | 100%          | ●        |
| Brake Fluid             | –             | ●        |
| Bränsle, aromatfritt    | –             | ●        |
| Butyl Acetate           | –             | ●        |
| Calcium Chloride        | –             | ●        |
| Carbon Disulfide        | 100%          | ●        |
| Carbon Tetrachloride    | –             | ●        |
| Citric Acid             | 10%           | ●        |
| Cyklohexanon            | 100%          | ●        |
| Cyklohexen              | 100%          | ●        |
| Diesel Fuel             | –             | ●        |
| Diethylene Oxide        | –             | ●        |
| Ethyl Acetate           | 100%          | ●        |
| Ethyl Alcohol           | 96%           | ●        |
| Ethylene Chloride       | 100%          | ●        |

| Kemikalie                          | Koncentration | Beständ. |
|------------------------------------|---------------|----------|
| Fenol, vattenl.                    | ca. 9%        | ●        |
| Food Oil                           | –             | ●        |
| Formaldehyd, vattenl.              | 40%           | ●        |
| Formic Acid                        | 10%           | ●        |
| Frost Protection Agent             | –             | ●        |
| Glycerin                           | 100%          | ●        |
| Glykol                             | 100%          | ●        |
| Heating Oil                        | –             | ●        |
| Heptan                             | 100%          | ●        |
| Hydrochloric Acid                  | 10%           | ●        |
| Hydrochloric Acid (concentrated)   | conc.         | ●        |
| Hydrofluoric Acid                  | 40%           | ●        |
| Hydrogen Peroxide                  | 10%           | ●        |
| Hydrogen Sulfide, aqueous solution | –             | ●        |
| Isopropyl Alcohol                  | 100%          | ●        |
| Klor (gas)                         | 100%          | ●        |
| Klorbensen                         | 100%          | ●        |
| Kloroform                          | –             | ●        |
| Kresol                             | –             | ●        |
| Linseed Oil                        | –             | ●        |
| Merkurokrom                        | –             | ●        |
| Methyl Alcohol                     | 100%          | ●        |
| Methyl Ethyl Ketone (MEK)          | 100%          | ●        |
| Methylene Chloride                 | 100%          | ●        |
| Mineral Oils (aromatic free)       | –             | ●        |
| Mjölk                              | –             | ●        |
| Nitric Acid                        | 10%           | ●        |
| Nitric Acid (50%)                  | 50%           | ●        |
| Nitrobensen                        | –             | ●        |
| Oxalic Acid                        | –             | ●        |
| Ozone Gas                          | ≤0.5 ppm      | ●        |
| Paraffine Oil                      | 100%          | ●        |

| Kemikalie                     | Koncentration | Beständ. |
|-------------------------------|---------------|----------|
| Perkloretylen                 | –             | ●        |
| Petroleum                     | 100%          | ●        |
| Petroleum Ether               | 100%          | ●        |
| Phosphoric Acid               | 50%           | ●        |
| Potassium Hydroxide liquor    | 50%           | ●        |
| Premium Fuel                  | –             | ●        |
| Propyl Alcohol                | –             | ●        |
| Pyridin                       | –             | ●        |
| Silicone Oil                  | –             | ●        |
| Sodium Carbonate, aqueous     | –             | ●        |
| Sodium Chloride, aqueous      | –             | ●        |
| Sodium Hydrogen Sulfite       | –             | ●        |
| Sodium Hydroxide liquor (15%) | 15%           | ●        |
| Sodium Hydroxide liquor (60%) | 60%           | ●        |
| Sodium Nitrate, aqueous       | –             | ●        |
| Sodium Thiosulfate            | –             | ●        |
| Sulfuric Acid                 | 96%           | ●        |
| Tetrahydrofuran, THF          | 100%          | ●        |
| Toluen                        | 100%          | ●        |
| Transformer Oil               | –             | ●        |
| Trikloreten                   | 100%          | ●        |
| Vatten                        | –             | ●        |
| Xylen                         | –             | ●        |
| Ättika, standard              | 5-10%         | ●        |