

## Rundstång i POM H 90x3000 mm svart

Artikelnr P1008603

● Beständig
 ● Delvis beständig
 ● Ej beständig

| Kemikalie               | Koncentration | Temp.  | Beständighet |
|-------------------------|---------------|--------|--------------|
| 1,4-Dioxan              | 100%          | 20 Å°C | ●            |
| 2-Hydroxypropionic Acid | 90%           | 20 Å°C | ●            |
| Acetic Acid             | 100%          | 20 Å°C | ●            |
| Aceton                  | 100%          | 20 Å°C | ●            |
| Ammoniak                | conc.         | 20 Å°C | ●            |
| Ammonium Chloride       | â€            | 20 Å°C | ●            |
| Amyl Alcohol            | â€            | 20 Å°C | ●            |
| Apple Juice             | â€            | 20 Å°C | ●            |
| Bensen                  | â€            | 20 Å°C | ●            |
| Bleaching Solution      | 12.5 cl       | 20 Å°C | ●            |
| Boric Acid              | 100%          | 20 Å°C | ●            |
| Brake Fluid             | â€            | 20 Å°C | ●            |
| Bränsle, aromatfritt    | â€            | 20 Å°C | ●            |
| Butyl Acetate           | â€            | 20 Å°C | ●            |
| Calcium Chloride        | â€            | 20 Å°C | ●            |
| Carbon Disulfide        | 100%          | 20 Å°C | ●            |
| Carbon Tetrachloride    | â€            | 20 Å°C | ●            |
| Citric Acid             | 10%           | 20 Å°C | ●            |
| Cyklohexanon            | 100%          | 20 Å°C | ●            |
| Cyklohexen              | 100%          | 20 Å°C | ●            |
| Diesel Fuel             | â€            | 20 Å°C | ●            |
| Diethylene Oxide        | â€            | 20 Å°C | ●            |
| Ethyl Acetate           | 100%          | 20 Å°C | ●            |
| Ethyl Alcohol           | 96%           | 20 Å°C | ●            |
| Ethylene Chloride       | 100%          | 20 Å°C | ●            |
| Fenol, vattenl.         | ca. 9%        | 20 Å°C | ●            |
| Food Oil                | â€            | 20 Å°C | ●            |

| Kemikalie                          | Koncentration | Temp.  | Beständighet |
|------------------------------------|---------------|--------|--------------|
| Formaldehyd, vattenl.              | 40%           | 20 Å°C | ●            |
| Formic Acid                        | 10%           | 20 Å°C | ●            |
| Frost Protection Agent             | â€”           | 20 Å°C | ●            |
| Glycerin                           | 100%          | 20 Å°C | ●            |
| Glykol                             | 100%          | 20 Å°C | ●            |
| Heating Oil                        | â€”           | 20 Å°C | ●            |
| Heptan                             | 100%          | 20 Å°C | ●            |
| Hydrochloric Acid                  | 10%           | 20 Å°C | ●            |
| Hydrochloric Acid (concentrated)   | conc.         | 20 Å°C | ●            |
| Hydrofluoric Acid                  | 40%           | 20 Å°C | ●            |
| Hydrogen Peroxide                  | 10%           | 20 Å°C | ●            |
| Hydrogen Sulfide, aqueous solution | â€”           | 20 Å°C | ●            |
| Isopropyl Alcohol                  | 100%          | 20 Å°C | ●            |
| Klor (gas)                         | 100%          | 20 Å°C | ●            |
| Klorbensen                         | 100%          | 20 Å°C | ●            |
| Kloroform                          | â€”           | 20 Å°C | ●            |
| Kresol                             | â€”           | 20 Å°C | ●            |
| Linseed Oil                        | â€”           | 20 Å°C | ●            |
| Merkurokrom                        | â€”           | 20 Å°C | ●            |
| Methyl Alcohol                     | 100%          | 20 Å°C | ●            |
| Methyl Ethyl Ketone (MEK)          | 100%          | 20 Å°C | ●            |
| Methylene Chloride                 | 100%          | 20 Å°C | ●            |
| Mineral Oils (aromatic free)       | â€”           | 20 Å°C | ●            |
| MjÅ¶lk                             | â€”           | 20 Å°C | ●            |
| Nitric Acid                        | 10%           | 20 Å°C | ●            |
| Nitric Acid (50%)                  | 50%           | 20 Å°C | ●            |
| Nitrobensen                        | â€”           | 20 Å°C | ●            |
| Oxalic Acid                        | â€”           | 20 Å°C | ●            |
| Ozone Gas                          | â‰ƒ0.5 ppm    | 20 Å°C | ●            |
| Paraffine Oil                      | 100%          | 20 Å°C | ●            |
| Perkloretylen                      | â€”           | 20 Å°C | ●            |
| Petroleum                          | 100%          | 20 Å°C | ●            |
| Petroleum Ether                    | 100%          | 20 Å°C | ●            |
| Phosphoric Acid                    | 50%           | 20 Å°C | ●            |
| Potassium Hydroxide liquor         | 50%           | 20 Å°C | ●            |

| Kemikalie                     | Koncentration | Temp. | Best ndighet |
|-------------------------------|---------------|-------|--------------|
| Premium Fuel                  |               | 20  C |              |
| Propyl Alcohol                |               | 20  C |              |
| Pyridin                       |               | 20  C |              |
| Silicone Oil                  |               | 20  C |              |
| Sodium Carbonate, aqueous     |               | 20  C |              |
| Sodium Chloride, aqueous      |               | 20  C |              |
| Sodium Hydrogen Sulfite       |               | 20  C |              |
| Sodium Hydroxide liquor (15%) | 15%           | 20  C |              |
| Sodium Hydroxide liquor (60%) | 60%           | 20  C |              |
| Sodium Nitrate, aqueous       |               | 20  C |              |
| Sodium Thiosulfate            |               | 20  C |              |
| Sulfuric Acid                 | 96%           | 20  C |              |
| Tetrahydrofuran, THF          | 100%          | 20  C |              |
| Toluen                        | 100%          | 20  C |              |
| Transformer Oil               |               | 20  C |              |
| Trikloretan                   | 100%          | 20  C |              |
| Vatten                        |               | 20  C |              |
| Xylen                         |               | 20  C |              |
|  ttika, standard              | 5-10%         | 20  C |              |