

PTFE 80x2000 mm natur

Artikelnr P1201001

● Beständig ● Delvis beständig ● Ej beständig

Kemikalie	Koncentration	Beständ.
1,4-Dioxan	100	●
2-Hydroxypropionic Acid	90	●
Acetic Acid	100	●
Aceton	100	●
Ammoniak	—	●
Ammonium Chloride	—	●
Amyl Alcohol	—	●
Apple Juice	—	●
Bensen	—	●
Bleaching Solution	—	●
Boric Acid	100	●
Brake Fluid	—	●
Bränsle, aromatfritt	—	●
Butyl Acetate	—	●
Calcium Chloride	—	●
Carbon Disulfide	100	●
Carbon Tetrachloride	—	●
Citric Acid	10	●
Cyklohexanon	100	●
Cyklohexen	100	●
Diesel Fuel	—	●
Diethylene Oxide	—	●
Ethyl Acetate	100	●
Ethyl Alcohol	96	●
Ethylene Chloride	100	●

Kemikalie	Koncentration	Beständ.
Fenol (vattenl.)	ca. 9	
Food Oil	—	
Formaldehyd (vattenl.)	40	
Formic Acid	10	
Frost Protection Agent	—	
Glycerin	100	
Glykol	100	
Heating Oil	—	
Heptan	100	
Hydrochloric Acid	10	
Hydrochloric Acid (concentrated)	—	
Hydrofluoric Acid	40	
Hydrogen Peroxide	10	
Hydrogen Sulfide (aqueous)	—	
Isopropyl Alcohol	100	
Klor (gas)	100	
Klorbensen	100	
Kloroform	—	
Kresol	—	
Linseed Oil	—	
Merkurokrom	—	
Methyl Alcohol	100	
Methyl Ethyl Ketone (MEK)	100	
Methylene Chloride	100	
Mineral Oils (aromatic free)	—	
Mjölk	—	
Nitric Acid	10	
Nitric Acid (50%)	50	
Nitrobensen	—	
Oxalic Acid	—	
Ozone Gas	≤ 0.5 ppm	
Paraffine Oil	100	

Kemikalie	Koncentration	Beständ.
Perkloretylen	—	●
Petroleum	100	●
Petroleum Ether	100	●
Phosphoric Acid	50	●
Potassium Hydroxide liquor	50	●
Premium Fuel	—	●
Propyl Alcohol	—	●
Pyridin	—	●
Silicone Oil	—	●
Sodium Carbonate (aqueous)	—	●
Sodium Chloride (aqueous)	—	●
Sodium Hydrogen Sulfite	—	●
Sodium Hydroxide liquor	15	●
Sodium Hydroxide liquor (60)	60	●
Sodium Nitrate (aqueous)	—	●
Sodium Thiosulfate	—	●
Sulfuric Acid	96	●
Tetrahydrofuran (THF)	100	●
Toluen	100	●
Transformer Oil	—	●
Trikloreten	100	●
Vatten	—	●
Xylen	—	●
Ättika (standard)	5 - 10	●